

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	12	"889878"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 17:40
S2	93839	"889878" (YASUHIRO).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:37
S3	0	"889878" and (YASUHIRO).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/15 17:39
S4	149	(725/50).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/16 07:50
S5	880	(program adj guide) and (generat\$3 with (chang\$3 or event))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB`	OR	ON	2005/11/18 11:49
S6	220	(program adj guide) and (generat\$3 with (chang\$3 or event)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:50
S7	7	(program adj guide) and (generat\$3 with (chang\$3 or event) with (headend or (head adj end))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:52
S8	1	(program adj guide) and (generat\$3 with (chang\$3 or event) with (stb or stt)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:55

S9	205	(725/49,50).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/18 11:55
S10	23	S9 and ((follow\$3 near3 (program or show)) and (start\$3 near3 (program or show)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:56
S11	16	S9 and ((follow\$3 near3 (program or show)) and (start\$3 near3 (program or show))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 11:57
S12	13	(updatable same (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 17:00
S13	62	(program adj guide) and (immediat\$3 near3 updat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 17:04
S14	23	(program adj guide) and (immediat\$3 near3 updat\$3) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/18 17:05
S15	114	(updat\$3 near3 (program adj guide)) and ((moving or move or chang\$3) with (program or show) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:23
S16	39	(updat\$3 near3 (program adj guide)) and ((moving or move or chang\$3) with (program or show) with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 09:23

S17	3	((program or show) near3 (interrupt\$3)) with (updat\$3 near3 (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:44
S18	4	((program or show) with (interrupt\$3)) with (updat\$3 near3 (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:44
S19	1	S18 not S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:44
S20	2	(dynamic with updat\$3 with (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:46
S21	75	(program adj guide) and (shift\$3 with (program or show) with channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:47
S22	14	(program adj guide) and (shift\$3 with (program or show) with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:57
S23	223	(program adj guide) and (mov\$3 with (program or show) with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:57
S24	0	(program adj guide) and (mov\$3 with (program or show) with alternative with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:58

S25	58	(program adj guide) and (program or show) with alternative with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:58
S26	2	(program adj guide) and (chang\$3 with (program or show) with alternative with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:58
S27	0	(program adj guide) and (mov\$3 with (program or show) with auxiliary with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:59
S28	0	(program adj guide) and ((program or show) with auxiliary with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:59
S29	136	(program adj guide) and ((program or show) with additional with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 10:59
S30	4	(program adj guide) and ((moving or move or moved or chang\$3) with (program or show) with additional with channel) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:00
S31	16	(interrupt\$3 near3 (program or show)) same (dynamic\$4 with (move or moving or moved or chang\$3) with (program or show))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:02
S32	143	(interrupt\$3 near3 (show)) same ((move or moving or moved or chang\$3) with (show))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:02

S33	70	((interrupt\$3 near3 (show)) same ((move or moving or moved or chang\$3) with (show))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 11:03
S34	114	(replac\$3 with (program or show) with (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 13:50
S35	33	(replac\$3 with (program or show) with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 13:56
S36	6	(replac\$3 with show) and (updat\$3 with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 13:58
S37	0	(swtich\$3 with show) and (updat\$3 with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 13:58
S38	0	(swap\$4 with show) and (updat\$3 with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:32
S39	0	(swap\$4 with show) and ((program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 13:59
S40	0	(overwrit\$4 with show) and (updat\$3 with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:32

S41	11	(overwrit\$4) and (updat\$3 with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:36
S42	36	(overlay\$3) and (updat\$3 with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:36
S43	29	(overlay\$3 with (show or program)) and (updat\$3 with (program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:36
S44	34	(overwrit\$3 with (show or program)) and ((program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 14:37
S45	27	(overwrit\$3 near3 (show or program)) and ((program adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:15
S46	3095	(725/37-61).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/28 15:16
S47	1200	S46 and ((program or show or episode or segment or section) with (overwrit\$3 or overlay\$3 or replac\$ or switch\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:17
S48	425	S46 and ((program or show or episode or segment or section) with (overwrit\$3 or overlay\$3 or replac\$ or switch\$3)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:18

S49	266	S46 and ((program or show or episode or segment or section) near3 (overwrit\$3 or overlay\$3 or replac\$ or switch\$3)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:21
S50	93	S46 and ((program or show or episode) near3 (overwrit\$3 or replac\$)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:21
S51	1	S46 and ((show or episode) near3 (overwrit\$3 or replac\$)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:31
S52	4	((replac\$3 or overwrit\$3) with (old near3 (data or information))) same (epg or ipg or (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:33
S53	5	((replac\$3 or overwrit\$3) with ((part or segment or section) near3 (data or information))) same (epg or ipg or (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:35
S54	102	((replac\$3 or overwrit\$3) with ((part or segment or section))) same (epg or ipg or (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:35
S55	9	((((replac\$3 or overwrit\$3) with ((part or segment or section))) same (epg or ipg or (program adj guide)))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:37
S56	63	((((alternative or auxiliary) near3 (programming or show)) same (epg or ipg or (program adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:38

S57	8	((alternative or auxiliary) near3 (programming or show)) same (epg or ipg or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:39
S58	0	((replacement) near3 (programming or show)) same (epg or ipg or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:39
S59	6	((replacement) near3 (program or show)) same (epg or ipg or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:41
S60	32	(emergency near3 (program\$4 or show)) same (ipg or epg or (program adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:49
S61	31	(emergency or interrupt\$3) same (updat\$4 with (ipg or epg or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 15:58
S62	12	((partial or program) with specific with updat\$4) same ((ipg or epg or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:04
S63	48	((partial or portion or segment or section) near3 updat\$4) same ((ipg or epg or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:06
S64	39	((realtime or dynamic\$4 or (real adj time)) near3 updat\$4) same ((ipg or epg or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:19

S65	2	(updat\$3 with (single adj2 (program or show or episode))) same ((ipg or epq or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:21
S66	0	(replac\$5 with (single adj2 (program or show or episode))) same ((ipg or epq or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:21
S67	0	(switch\$3 with (single adj2 (program or show or episode))) same ((ipg or epq or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:21
S68	0	(swap\$4 with (single adj2 (program or show or episode))) same ((ipg or epq or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:22
S69	3	(updat\$4 with (single adj2 (program or show or episode))) and ((ipg or epq or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:23
S70	97	(updat\$4 with (single)) and ((ipg or epq or (program adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:24
S71	44	(updat\$4 with (single)) and ((ipg or epq or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:24
S72	0	(updat\$4 with (single)) same ((ipg or epq or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:25

S73	0	(overwrit\$4 with (single adj3 (program or show or episode))) same ((ipg or epq or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:26
S74	0	(overwrit\$4 with (single adj3 (program or show or episode))) and ((ipg or epq or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:26
S75	0	(overwrit\$4 with (single adj3 (program or show or episode))) and ((ipg or epq or (program adj guide))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:35
S76	19	(event with insert\$3) same (program\$4 adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:06
S77	18	(live adj event) same (program\$4 adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 16:37
S78	51	(event with updat\$3) same (program\$4 adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:07
S79	13	((event with updat\$3) same (program\$4 adj guide)) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:12
S80	2728	yuen.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:12

S81	1513	yuen.in. and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:12
S82	74	yuen.in. and @ad<"19991122" and (program\$4 adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/28 17:13
S83	76	(emergency same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:38
S84	31	(emergency same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:39
S85	0	(emergency same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122" and (program\$4 adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:39
S86	297	((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122" and (program\$4 adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:39
S87	278	((switch\$3 or move or moving or moved) with (program or show) with (channel))) and @ad<"19991122" and (program\$4 adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:39
S88	117	((epg or (program\$4 adj guide)) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:41

S89	4	((updat\$3 with (epg or (program\$4 adj guide))) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:43
S90	194	((emergency or auxiliary or alternative) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:46
S91	164	((auxiliary or alternative) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:46
S92	122	((auxiliary or alternative) with (channel or stream or feed)) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:46
S93	42	((auxiliary or alternative) near3 (channel or stream or feed)) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:52
S94	208	((interrupt\$3)) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:52
S95	134	((interrupt\$4) with (channel or stream or feed)) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:53
S96	129	((interrupt\$3) with (channel or stream or feed)) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 14:53

S97	65	(((interrupt\$3) near4 (channel or stream or feed)) same ((switch\$3 or move or moving or moved) with (program or show) with (channel or feed or stream))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:10
S98	0	(((interrupt\$3) near4 (channel or stream or feed)) same ((switch\$3 or move or moving or moved) with (program or show) with (epg or (program\$4 adj guide)))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:11
S99	236	(((switch\$3 or move or moving or moved) with (program or show) with (epg or (program\$4 adj guide)))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:11
S10 0	79	(((switch\$3 or move or moving or moved) with (program or show) with channel with (epg or (program\$4 adj guide)))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:17
S10 1	811	(((moving or move or moved) near3 (channel or stream or feed)) same (interrupt\$3 or emergenc\$3) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:18
S10 2	6	(((moving or move or moved) near3 (channel or stream or feed)) same ((interrupt\$3 or emergenc\$3) near3 (program\$4 or show or episode))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:19
S10 3	54	(((switch\$3 or relocat\$4 or swap\$4) near3 (channel or stream or feed)) same ((interrupt\$3 or emergenc\$3) near3 (program\$4 or show or episode))) and @ad<"19991122"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/29 15:20